


## Linear LED Fixture Spec Sheet




Our **LVLBV2** is an attractive and slim surface mounted linear light fixture available in custom sizes ranging from **2-8ft** in length. Easily mount to almost any surface using different custom fastening methods. The slim and sleek body of our **LVLBV2** has an attractive finish that is capable of producing high output led lighting, making it perfectly suitable for use in offices, retails stores, conference rooms, residences, and hotels.

Specifications	*[XX] denotes color temperature
Part#	LVLBP1.5-XX-YY-ZZ
Sizes	2ft, 4ft, 6ft, 8ft, Custom
Input Voltage	120-277 VAC
Light Output	SO: 605 Lumens/ft
Efficiency	83 Lumens/Watt
Color Rendering	>80 CRI, >90 CRI
Environment	Suitable for Dry or Damp Locations
Warranty	5-Year
Lifetime	70,000+Hours (L-70)
Listings	UL-Listed
Dimming	Non-Dimmable
Light Distribution	Down Light

## **Available Colors**





## Light Distribution

Features

- 120-277VAC or 347VAC Input.
- Non-Dimmable.
- 80+ CRI Standard, 90+ available.
- 605 lumens/ft.
- Suspension Kits Included!
- Waterproof Available Upon Request.
- Made in the **USA** Quick Ship!
- UL-Listed.

Typical Lumen Table					
Product Size	SO				
2ft	1,000 LM / 12W				
4ft	2,000 LM / 24W				
6ft	3,000 LM / 36W				
8ft	4,000 LM / 48W				
*Based on standard sizes with 4000K Color Temperature					

Bluegate Inc. GlowbackLED® 1173 NW 159th Drive Miami Gardens, FL 33169 1-800-679-4902 • info@bluegateinc.com




GlowbackLED® is a registered trademark of Bluegate Inc ©2022 Bluegate Inc. All Rights Reserved Specifications subject to change without notice

BLUEGATE








		Surface Mount Continuos Run
Continuous Run		
Powered End	Middle Section (s)	Light Fixtures End Piece

\*Fixtures do not include conduit, they have "knock-outs" to receive conduit




Bluegate Inc. GlowbackLED® 1173 NW 159th Drive Miami Gardens, FL 33169 1-800-679-4902 • info@bluegateinc.com GlowbackLED® is a registered trademark of Bluegate Inc. ©2022 Bluegate Inc. All Rights Reserved Specifications subject to change without notice


BLUEGATE





Master Product Code Builder								
Prefix	LVLB							
Profile	V2							
Finish								
Satin Aluminum	leave blank							
Matte Black	N/A							
Matte White	N/A							
Custom	C							
Output								
605 Lumens/ft	SO							
000 Lumens/ft	N/A							
Size								
2ft	24							
4ft	46							
óft	68							
8ft	90							
Custom	enter in inches							
Continous	CR							
Custom Shape	CS							
Color								
2300K	AW							
2700K	IW							
3000K	ww							
4000K	NW							
5000K	BW							
Custom	enter CCT value							
RGB+5000K	RGBW							
RGB+2700K	RGBWW							
Tunable White	ССТ							
CRI								
80+	80							
90+	90							
Mount Type								
Surface	S							
Voltage								
120-277VAC	leave blank							
347VAC	347							
Dimming/Control								
0-10V	leave blank							
Phase/TRIAC	N/A							
DMX	N/A							
Run Type								
Single	leave blank							
C/R Powered End	CRP							
C/R Middle	CRM							
C/R End Piece	CRE							
NA	leave blank							
Shapes								
NA	leave blank							
Standard Shape	S/S							
Custom Shape	C/S							











## **Project Name**

Ord	ering Fo	rm											( C)
QTY	LVLBP1.5	Finish	Output	Size	Color	CRI	Mount Type	Voltage	Dimming/Control	Emergency	Run Type	Shapes	Project Fixture Type
	LVLBP1.5	BLK	50	90	ww	90	А						ST-5
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5										- /		
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												
	LVLBP1.5												

**Custom Configuration Notes** 

GlowbackLED® is a registered trademark of Bluegate Inc ©2022 Bluegate Inc. All Rights Reserved Specifications subject to change without notice

